

Voronoi diagram and Delaunay triangulation

Ioannis Emiris & Vissarion Fisikopoulos

Dept. of Informatics & Telecommunications, University of Athens



Computational Geometry, spring 2015

Outline


- ① Voronoi diagram
- ② Delaunay triangulation
- ③ Algorithms and complexity
Voronoi algorithms
- ④ Generalizations and Representation

Outline

- ① Voronoi diagram
- ② Delaunay triangulation
- ③ Algorithms and complexity
Voronoi algorithms
- ④ Generalizations and Representation

Example and definition


Sites: $P := \{p_1, \dots, p_n\} \subset \mathbb{R}^2$



Example and definition

Sites: $P := \{p_1, \dots, p_n\} \subset \mathbb{R}^2$


Voronoi cell: $q \in V(p_i) \Leftrightarrow \text{dist}(q, p_i) \leq \text{dist}(q, p_j), \forall p_j \in P, j \neq i$




Example and definition

Sites: $P := \{p_1, \dots, p_n\} \subset \mathbb{R}^2$


Voronoi cell: $q \in V(p_i) \Leftrightarrow \text{dist}(q, p_i) \leq \text{dist}(q, p_j), \forall p_j \in P, j \neq i$




Faces of Voronoi diagram




Faces of Voronoi diagram




Faces of Voronoi diagram




Faces of Voronoi diagram



Faces of Voronoi diagram



Voronoi diagram



Formalization

- sites: points $P = \{p_1, \dots, p_n\} \subset \mathbb{R}^2$.
- Voronoi cell/region $V(p_i)$ of site p_i :

$$q \in V(p_i) \Leftrightarrow \text{dist}(q, p_i) \leq \text{dist}(q, p_j), \forall p_j \in P, j \neq i.$$

- Voronoi **edge** is the common boundary of two adjacent cells.
- Voronoi **vertex** is the common boundary of 3 adjacent cells, or the intersection of ≥ 2 (hence ≥ 3) Voronoi edges.
Generically, of exactly 3 Voronoi edges.

Voronoi diagram of P = dual of **Delaunay triangulation** of P .

- Voronoi cell \leftrightarrow vertex of Delaunay triangles: site
- neighboring cells (Voronoi edge) \leftrightarrow Delaunay edge, defined by corresponding sites (line of Voronoi edge \perp line of Delaunay edge)
- Voronoi vertex \leftrightarrow Delaunay triangle.


Outline

- ① Voronoi diagram
- ② Delaunay triangulation
- ③ Algorithms and complexity
Voronoi algorithms
- ④ Generalizations and Representation

Triangulation


A **triangulation** of a pointset (sites) $P \subset \mathbb{R}^2$ is a collection of triplets from P , namely **triangles**, s.t.

- ▶ The union of the triangles covers the convex hull of P .
- ▶ Every pair of triangles intersect at a (possibly empty) common face (\emptyset , vertex, edge).
- ▶ Usually (CGAL): Set of triangle vertices = P .




Example: P , incomplete, invalid, subdivision, triangulation.


Delaunay Triangulation: dual of Voronoi diagram




Delaunay Triangulation: dual of Voronoi diagram



Delaunay Triangulation: dual of Voronoi diagram



Delaunay Triangulation: dual of Voronoi diagram




Boris N. Delaunay
(1890 - 1980)

Delaunay triangulation: projection from parabola

Definition/Construction of Delaunay triangulation:


- ▶ Lift sites $p = (x) \in \mathbb{R}$ to $\hat{p} = (x, x^2) \in \mathbb{R}^2$
- ▶ Compute the convex hull of the lifted points
- ▶ Project the lower hull to \mathbb{R}



Delaunay triangulation: going a bit higher...



Definition/Construction of Delaunay triangulation:

- ▶ Lift sites $p = (x, y) \in \mathbb{R}^2$ to $\hat{p} = (x, y, x^2 + y^2) \in \mathbb{R}^3$
- ▶ Compute the convex hull of the lifted points
- ▶ Project the lower hull to \mathbb{R}^2 : arbitrarily triangulate lower facets that are polygons (not triangles)




Applications


Nearest Neighbors
Reconstruction
Meshing




Main Delaunay property: empty sphere



Main Delaunay property: empty sphere




Main Delaunay property: empty sphere



Main Delaunay property: 1 picture proof

Thm (in \mathbb{R}): $S(p_1, p_2)$ is a Delaunay segment \Leftrightarrow its interior contains no p_i .

Proof. Delaunay segment $\Leftrightarrow (\hat{p}_1, \hat{p}_2)$ edge of the Lower Hull
 \Leftrightarrow no \hat{p}_i "below" (\hat{p}_1, \hat{p}_2) on the parabola
 \Leftrightarrow no p_i inside the segment (p_1, p_2) .




Main Delaunay property: 1 picture proof

Thm (in \mathbb{R}^2): $T(p_1, p_2, p_3)$ is a Delaunay triangle \Leftrightarrow the interior of the circle through p_1, p_2, p_3 (enclosing circle) contains no p_i .

Proof. Circle(p_1, p_2, p_3) contains no p_i in interior
 \Leftrightarrow plane of lifted $\hat{p}_1, \hat{p}_2, \hat{p}_3$ leaves all lifted \hat{p}_i on same halfspace
 \Leftrightarrow CCW($\hat{p}_1, \hat{p}_2, \hat{p}_3, \hat{p}_i$) of same sign for all i .

Suffices to prove: p_i lies on Circle(p_1, p_2, p_3)
 $\Leftrightarrow \hat{p}_i$ lies on plane of $\hat{p}_1, \hat{p}_2, \hat{p}_3 \Leftrightarrow$ CCW($\hat{p}_1, \hat{p}_2, \hat{p}_3, \hat{p}_i$) = 0.



Predicate InCircle

Given points $p, q, r, s \in \mathbb{R}^2$, point $s = (s_x, s_y)$ lies inside the circle through $p, q, r \Leftrightarrow$

$$\det \begin{pmatrix} p_x & p_y & p_x^2 + p_y^2 & 1 \\ q_x & q_y & q_x^2 + q_y^2 & 1 \\ r_x & r_y & r_x^2 + r_y^2 & 1 \\ s_x & s_y & s_x^2 + s_y^2 & 1 \end{pmatrix} > 0,$$

assuming p, q, r in clockwise order (otherwise $\det < 0$).

Lemma. $\text{InCircle}(p, q, r, s) = 0 \Leftrightarrow \exists$ circle through p, q, r, s .

Proof. $\text{InCircle}(p, q, r, s) = 0 \Leftrightarrow \text{CCW}(\hat{p}, \hat{q}, \hat{r}, \hat{s}) = 0$

Delaunay faces

Theorem. Let P be a set of sites $\in \mathbb{R}^2$:

- (i) Sites $p_i, p_j, p_k \in P$ are vertices of a Delaunay triangle \Leftrightarrow the circle through p_i, p_j, p_k contains no site of P in its interior.
- (ii) Sites $p_i, p_j \in P$ form an edge of the Delaunay triangulation \Leftrightarrow there is a closed disc C that contains p_i, p_j on its boundary and does not contain any other site of P .

Triangulations of planar pointsets

Thm. Let P be set of n points in \mathbb{R}^2 , not all colinear, $k = \#$ points on boundary of $\text{CH}(P)$. Any triangulation of P has $2n - 2 - k$ triangles and $3n - 3 - k$ edges.

Proof.

- ▶ f : #facets (except ∞)
 - ▶ e : #edges
 - ▶ n : #vertices
1. Euler: $n - e + (f + 1) - 1 = 1$; for d -polytope:
$$\sum_{i=0}^d (-1)^i f_i = 1$$
 2. Any planar triangulation: total degree = $3f + k = 2e$.

Properties of Voronoi diagram


Lemma. $|V| \leq 2n - 5$, $|E| \leq 3n - 6$, $n = |P|$,

by Euler's theorem for planar graphs: $|V| - |E| + n - 1 = 1$.

Max Empty Circle $C_P(q)$ centered at q : no interior site $p_i \in P$.

Lem: $q \in \mathbb{R}^2$ is Voronoi vertex $\Leftrightarrow C(q)$ has ≥ 3 sites on perimeter

Any perpendicular bisector of segment (p_i, p_j) defines a Voronoi edge
edge $\Leftrightarrow \exists q$ on bisector s.t. $C(q)$ has only p_i, p_j on perimeter





Delaunay maximizes the smallest angle

Let T be a triangulation with m triangles.

Sort the $3m$ angles: $a_1 \leq a_2 \leq \dots \leq a_{3m}$. $T_a := \{a_1, a_2, \dots, a_{3m}\}$.

Edge $e = (p_i, p_j)$ is **illegal** $\Leftrightarrow \min_{1 \leq i \leq 6} a_i < \min_{1 \leq i \leq 6} a'_i$.




T' obtained from T by **flipping** illegal e , then $T'_a >_{lex} T_a$.

Flips yield triangulation without illegal edges.

The **algorithm terminates** (angles decrease), but is $O(n^2)$.

Insertion by flips




Outline

- ① Voronoi diagram
- ② Delaunay triangulation
- ③ Algorithms and complexity
Voronoi algorithms
- ④ Generalizations and Representation

Lower bound

$\Omega(n \log n)$ by reduction from sorting



Delaunay triangulation

Theorem. Let P be a set of points $\in \mathbb{R}^2$. A triangulation \mathcal{T} of P has no illegal edge $\Leftrightarrow \mathcal{T}$ is a Delaunay triangulation of P .


Cor. Constructing the Delaunay triangulation is a fast (optimal) way of maximizing the min angle.

Algorithms in \mathbb{R}^2 :


- Lift, CH3, project the lower hull: $O(n \log n)$
- Incremental algorithm: $O(n \log n)$ exp., $O(n^2)$ worst
- Voronoi diagram (Fortune's sweep): $O(n \log n)$
- Divide + Conquer: $O(n \log n)$

See Voronoi algo's below.


Incremental Delaunay



Incremental Delaunay




Incremental Delaunay




Find triangles in conflict

Incremental Delaunay




Incremental Delaunay



Delete triangles in conflict

Incremental Delaunay



Triangulate hole

Voronoi by Lift & Project

Lifting:

- Consider the paraboloid $x_3 = x_1^2 + x_2^2 + x_3^2$.
- For every site p , consider its **lifted** image \hat{p} on the parabola.
- Given \hat{p} , \exists unique **(hyper)plane** tangent to the parabola at \hat{p} .


Project:

- For every (hyper)plane, consider the **halfspace** above.
- The **intersection** of halfspaces is a (unbounded) convex polytope
- Its **Lower Hull** projects bijectively to the Voronoi diagram.


Proof:

- Let $E : x_1^2 + x_2^2 - x_3 = 0$ be the paraboloid equation.
- $\nabla E(a) = \left(\frac{\partial E}{\partial x_1}, \frac{\partial E}{\partial x_2}, \frac{\partial E}{\partial x_3} \right)_a = (2a_1, 2a_2, -1)$.
- Point $x \in$ plane $h(x) \Leftrightarrow (x - a) \cdot \nabla E(a) = 0 \Leftrightarrow 2a_1(x_1 - a_1) + 2a_2(x_2 - a_2) - (x_3 - a_3) = 0$, which is h 's equation.



Lift & Project in 1D




Divide & Conquer



Fortune's sweep



2 events:



Outline

- ① Voronoi diagram
- ② Delaunay triangulation
- ③ Algorithms and complexity
Voronoi algorithms
- ④ Generalizations and Representation

General dimension polytopes

Faces of a polytope are polytopes forming its extreme elements.

A **facet** of a d -dimensional polytope is $(d - 1)$ -dimensional face:

- The facets of a segment are vertices (0-faces).
- The facets of a polygon are edges (1-faces)
- The facets of a 3-polyhedron are polygons.
- The facets of a 4d polytope are 3d polytopes.

General dimension triangulation

A **triangulation** of a pointset (sites) $P \subset \mathbb{R}^d$ is a collection of $(d + 1)$ -tuples from P , namely **simplices**, s.t.

- ▶ The union of the simplices covers the convex hull of P .
- ▶ Every pair of simplices intersect at a (possibly empty) common face.
- ▶ Usually: Set of simplex vertices = P .
- ▶ Delaunay: no site lies in the circum-hypersphere inscribing any simplex of the triangulation.

In 3d, two simplices may intersect at: \emptyset , vertex, edge, facet.

The triangulation is **unique** for generic inputs, i.e. no $d + 2$ sites lie on same hypersphere, i.e. every $d + 1$ sites define unique simplex.

A Delaunay **facet** belongs to: exactly one simplex iff it belongs to $\text{CH}(P)$, otherwise belongs to exactly two (neighboring) simplices.

Complexity in general dimension

- ▶ Delaunay triangulation in $\mathbb{R}^d \simeq$ **convex hull** in \mathbb{R}^{d+1} .
- ▶ Convex Hull of n points in \mathbb{R}^d is $\Theta(n \log n + n^{\lfloor d/2 \rfloor})$
Hence d -Del = $\Theta(n \log n + n^{\lceil d/2 \rceil})$
- ▶ Lower bound [McMullen] on space Complexity
- ▶ **optimal** deterministic [Chazelle], randomized [Seidel] algorithms

Optimal algorithms by lift/project: \mathbb{R}^2 : $\Theta(n \log n)$, \mathbb{R}^3 : $\Theta(n^2)$.


Generalized constructions

In \mathbb{R}^2 : Various **geometric graphs** defined on P are subgraphs of $\mathcal{DT}(P)$, e.g. **Euclidean minimum spanning tree** (EMST) of P .

Delaunay triangulation $\mathcal{DT}(P)$ of pointset $P \subset \mathbb{R}^d$: triangulation s.t. no site in P lies in the hypersphere inscribing any simplex of $\mathcal{DT}(P)$.

- ▶ $\mathcal{DT}(P)$ contains d -dimensional simplices.
- ▶ hypersphere = circum-hypersphere of simplex.
- ▶ $\mathcal{DT}(P)$ is **unique for generic** inputs, i.e. no $d + 2$ sites lie on the same hypersphere, i.e. every $d + 1$ sites define unique Delaunay “triangle”.
- ▶ \mathbb{R}^d : Delaunay facet belongs to **exactly one** simplex \Leftrightarrow belongs to $\text{CH}(P)$

Plane Decomposition Representation



- **Doubly Connected Edge List (DCEL)**
 - stores: vertices, edges and cells (faces);
 - for every (undirected) edge: 2 twins (directed) **half-edges**.
- Space complexity: $O(|V| + |E| + n)$,
 $|V| = \#$ vertices, $|E| = \#$ edges, $n = \#$ input sites.
 - v : $O(1)$: coordinates, pointer to half-edge where v is starting.
 - half-e $O(1)$: start v , right cell, pointer next/previous/twin half-e
- DCEL operations:
 - Given cell c , edge $e \subset c$, find (neighboring) cell c' : $e \subset c'$: $O(1)$
 - Given cell, print every edge of cell: $O(|E|)$.
 - Given vertex v find all incident edges: $O(\#$ neighbors).